ELSEVIER

Brain Research 656 (1994) 437–439

BRAIN RESEARCH

Author Index

Abe, K., see Ikegaya, Y. (656) 157
Abrous, D.N., Le Moal, M. and Herman, J.P.
The increase in striatal Neuropeptide Y immunoreactivity induced by neonatal dopamine-depleting lesions in rats is reversed by intrastriatal dopamine-rich transplants (656) 169
Ackerman, J.M., Womble, M.D. and Moises, H.C.
Multiple effects of long-term morphine treatment on postsynaptic β-adrenergic receptor function in hippocampus: an intracellular analysis (656) 309
Aldskogius, H., see Zhang, A.-L. (656) 187
Åman, K., see Ceccatelli, S. (656) 381
Andersen, J.K., Frim, D.M., Isacson, O., Beal, M.F. and Breakefield, X.O.
Elevation of neuronal MAO-B activity in a transgenic mouse model does not increase sensitivity to the neurotoxin 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) (656) 108
Ando, A., see Yasui, Y. (656) 420
Aou, S., see Oka, T. (656) 236
Arnolda, L., see Pilowsky, P. (656) 319

Beal, M.F., see Andersen, J.K. (656) 108
Bertoni-Freddari, C., Fattoretti, P., Casoli, T., Spagna, C. and Casell, U.
Dynamic morphology of the synaptic junctional areas during aging: the effect of chronic acetyl-L-carnitine administration (656) 359
Beyer, C., see Gómora, P. (656) 52
Bloom, S.R., see Lambert, P.D. (656) 135
Bradford, H.F., see Zhou, J. (656) 147
Breakefield, X.O., see Andersen, J.K. (656) 108
Bruce, M., see Jeffrey, M. (656) 329

Carr, K.D., see Wolinsky, T.D. (656) 274
Casell, U., see Bertoni-Freddari, C. (656) 359
Casoli, T., see Bertoni-Freddari, C. (656) 359
Caston, J., see Jones, N. (656) 257
Cataldo, A.M., see Sihag, R.K. (656) 14
Ceccatelli, S., Lundberg, J.M., Zhang, X., Åman, K. and Hökfelt, T.
Immunohistochemical demonstration of nitric oxide synthase in the peripheral autonomic nervous system (656) 381
Chalmers, J., see Pilowsky, P. (656) 319
Chen, F.-L., see Kalin, N.H. (656) 182
Cohen, C.M., see Sihag, R.K. (656) 14
Czachurski, J., see Zanzinger, J. (656) 353

Derrick, B.E., see Hernandez, R.V. (656) 215
Desmond, N.L., see Wenzel, J. (656) 127
De Souza, E.B., see Takao, T. (656) 177
DeWitt, D.A., Richey, P.L., Praprotnik, D., Silver, J. and Perry, G.
Chondroitin sulfate proteoglycans are a common component of neuronal inclusions and astrocytic reaction in neurodegenerative diseases (656) 205
Dieterich, K.D., see Takao, T. (656) 177
Dirks, B., see Follett, K.A. (656) 27
Domoto, T., see Yasui, Y. (656) 420
Donaghy, K.M. and Scholfield, C.N.
Concentration dependence of adenosine and the protection of rat cortical neurones during anoxia (656) 174
Downen, M., see Eves, E.M. (656) 396
Dryer, S.E., see D'Souza, T. (656) 85
D'Souza, T. and Dryer, S.E.
Intracellular free Ca^{2+} in dissociated cells of the chick pineal gland: regulation by membrane depolarization, second messengers and neuromodulators, and evidence for release of intracellular Ca^{2+} stores (656) 85
Dykes, R.W., see Salimi, I. (656) 263

Eves, E.M., Kwon, J., Downen, M., Tucker, M.S., Wainer, B.H. and Rosner, M.R.
Conditional immortalization of neuronal cells from postmitotic cultures and adult CNS (656) 396

Fahrenkrug, J., see Mikkelsen, J.D. (656) 95
Fattoretti, P., see Bertoni-Freddari, C. (656) 359
Follett, K.A. and Dirks, B.
Characterization of responses of primary somatosensory cerebral cortex neurons to noxious visceral stimulation in the rat (656) 27
Frim, D.M., see Andersen, J.K. (656) 108
Fukuda, K., see Saito, N. (656) 245

Ghatei, M.A., see Lambert, P.D. (656) 135
Glass, J.D., see Srkalovic, G. (656) 302
Gobert, A., see Lejeune, F. (656) 427
Gómora, P., Beyer, C., González-Mariscal, G. and Komisaruk, B.R.
Momentary analgesia produced by copulation in female rats (656) 52
Gonçalves, C.A., see Pereira, M.E. (656) 417
González-Mariscal, G., see Gómora, P. (656) 52
Goodsir, C.M., see Jeffrey, M. (656) 329
Gould, E., see Vaher, P.R. (656) 71
Grant, G., see Zhang, A.-L. (656) 187
Guerri, C., see Vallés, S. (656) 281

Halliday, W.G., see Jeffrey, M. (656) 329
Halvorson, I., see Thornhill, J. (656) 367
Hamlin, M., see Sihag, R.K. (656) 14
Hao, J.-X., see Zhang, A.-L. (656) 187
Haycock, J.W., see Lewis, D.A. (656) 1
Herman, J.P., see Abrous, D.N. (656) 169
Hernandez, R.V., Derrick, B.E., Rodriguez, W.A. and Martinez Jr., J.L.
(±)CPP, an NMDA receptor antagonist, blocks the induction of commissural-CA3 LTP in the anesthetized rat (656) 215
Hiller, J.M., see Wolinsky, T.D. (656) 274
Hökfelt, T., see Ceccatelli, S. (656) 381
Hori, T., see Oka, T. (656) 236
Hussain, Z. and Totterdell, S.
Calbindin-D28k immunoreactive neurons form two populations in the rat nucleus accumbens: a compartmental study (656) 191

Ikegaya, Y., Saito, H. and Abe, K.
Attenuated hippocampal long-term potentiation in basolateral amygdala-lesioned rats (656) 157
Ingenito, A.J., see Privette, T.H. (656) 295
Isacson, O., see Andersen, J.K. (656) 108
Ishii, K., see Katayama, M. (656) 409
Iwanaga, M., see Sano, M. (656) 210

Jeffrey, M., Goodsir, C.M., Bruce, M., McBride, P.A., Scott, J.R. and Halliday, W.G.
Correlative light and electron microscopy studies of PrP localisation in 87V scrapie (656) 329
Johnson, A.K., see Kirby, R.F. (656) 79

Jones, N., Le Marec, N., Stelz, T. and Caston, J.
Effect of administration of 3-acetylpyridine followed by niacinamide injection on survival, extent of the inferior olivary complex lesion, and response to harmaline in the young rat (656) 257

Kalin, N.H., Takahashi, L.K. and Chen, F.-L.
Restraint stress increases corticotropin-releasing hormone mRNA content in the amygdala and paraventricular nucleus (656) 182
Kamata, O., see Shindou, T. (656) 432
Kannari, K., Tomiyama, M. and Matsunaga, M.
Reduction of $GABA_A$ and $GABA_B$ receptor densities in the cerebellar cortex from 3-acetylpyridine-induced ataxic rats (656) 413
Kasparov, S., Pawelzik, H. and Zieglgänsberger, W.
Thyrotropin-releasing hormone enhances excitatory postsynaptic potentials in neocortical neurons of the rat in vitro (656) 229
Katayama, M. and Ishii, K.
2-Mercaptoethanol-independent survival of fetal mouse brain neurons cultured in a medium of human serum (656) 409
Kawamata, T., see Tooyama, I. (656) 165
Kayahara, T., see Yasui, Y. (656) 420
Kenigsberg, R.L., see Mazzoni, I.E. (656) 115
Kihara, T., see Matsuo, Y. (656) 344
Kimura, H., see Tooyama, I. (656) 165
Kirby, R.F., Novak, C.M., Thunhorst, R.L. and Johnson, A.K.
The role of $beta_1$ and $beta_2$ adrenoceptors in isoproterenol-induced drinking (656) 79
Kiyatkin, E.A., see Zhang, H. (656) 59
Kleschevnikov, A.M., Sinden, J.D. and Marchbanks, R.
Fimbria-fornix lesions impair spatial performance and induce epileptic-like activity but do not affect long-term potentiation in the CA1 region of rat hippocampal slices (656) 221
Kogure, K., see Matsuo, Y. (656) 344
Komisaruk, B.R., see Gómora, P. (656) 52
Kwon, J., see Eves, E.M. (656) 396

Lambert, P.D., Wilding, J.P.H., Turton, M.D., Ghatei, M.A. and Bloom, S.R.
Effect of food deprivation and streptozotocin-induced diabetes on hypothalamic neuropeptide Y release as measured by a radioimmunoassay-linked microdialysis procedure (656) 135
Lejeune, F., Gobert, A., Rivet, J.-M. and Millan, M.J.
Blockade of transmission at NMDA receptors facilitates the electrical and synthetic activity of ascending serotoninergic neurones (656) 427
Le Marec, N., see Jones, N. (656) 257
Le Moal, M., see Abrous, D.N. (656) 169
Levy, W.B., see Wenzel, J. (656) 127
Lewis, D.A., Melchitzky, D.S. and Haycock, J.W.
Expression and distribution of two isoforms of tyrosine hydroxylase in macaque monkey brain (656) 1
Lindo, L., see Vallés, S. (656) 281
Llewellyn-Smith, I.J., see Pilowsky, P. (656) 319
Luine, V.N., see Vaher, P.R. (656) 71
Lundberg, J.M., see Ceccatelli, S. (656) 381

Madeja, M., Stocker, M., Mußhoff, U., Pongs, O. and Speckmann, E.-J.
Potassium currents in epilepsy: effects of the epileptogenic agent pentylenetetrazol on a cloned potassium channel (656) 287
Marchbanks, R., see Kleschevnikov, A.M. (656) 221
Martinez Jr., J.L., see Hernandez, R.V. (656) 215
Marunouchi, T., see Mizuno, T. (656) 141
Matsunaga, M., see Kannari, K. (656) 413
Matsuo, Y., Onodera, H., Shiga, Y., Shozuhara, H., Ninomiya, M., Kihara, T., Tamatani, T., Miyasaka, M. and Kogure, K.
Role of cell adhesion molecules in brain injury after transient middle cerebral artery occlusion in the rat (656) 344
Mazzoni, I.E. and Kenigsberg, R.L.
Localization and characterization of epidermal growth-factor receptors in the developing rat medial septal area in culture (656) 115
McBride, P.A., see Jeffrey, M. (656) 329
McEwen, B.S., see Vaher, P.R. (656) 71
McGeer, E.G., see Tooyama, I. (656) 165
McGeer, P.L., see Tooyama, I. (656) 165
Melchitzky, D.S., see Lewis, D.A. (656) 1
Meves, H., see Schmitt, H. (656) 375
Mikkelsen, J.D. and Fahrenkrug, J.
Concentrations and distribution of vasoactive intestinal peptide (VIP), peptide histidine isoleucine (PHI) and peptide histidine valine (PHV) in the cerebral cortex and the suprachiasmatic nucleus of the mouse (656) 95
Millan, M.J., see Lejeune, F. (656) 427
Minson, J., see Pilowsky, P. (656) 319
Miyasaka, M., see Matsuo, Y. (656) 344
Mizuno, T., Sawada, M., Suzumura, A. and Marunouchi, T.
Expression of cytokines during glial differentiation (656) 141
Moises, H.C., see Ackerman, J.M. (656) 309
Monmaur, P., Puma, C. and Sharif, A.
Involvement of M2 and non-M2 muscarinic receptors in hippocampal theta rhythm induced by carbachol infusion into the septum of the rat (656) 199
Montoliu, C., see Vallés, S. (656) 281
Mußhoff, U., see Madeja, M. (656) 287

Nakanishi, H., see Shindou, T. (656) 432
Nakano, K., see Yasui, Y. (656) 420
Ninomiya, M., see Matsuo, Y. (656) 344
Nixon, R.A., see Sihag, R.K. (656) 14
Novak, C.M., see Kirby, R.F. (656) 79

Offner, B., see Zanzinger, J. (656) 353
Oka, T., Aou, S. and Hori, T.
Intracerebroventricular injection of interleukin-1β enhances nociceptive neuronal responses of the trigeminal nucleus caudalis in rats (656) 236
Onodera, H., see Matsuo, Y. (656) 344
Otani, S., see Wenzel, J. (656) 127

Paul, S.M., see Weller, G.-M.Y.B.N.M. (656) 43
Pawelzik, H., see Kasparov, S. (656) 229
Pereira, M.E., Gonçalves, C.A. and Rodnight, R.
Phosphorylation in vitro of glial fibrillary acidic protein is increased in rat hippocampus by administration of 2,5-hexanedione (656) 417
Perry, G., see DeWitt, D.A. (656) 205
Pilowsky, P., Llewellyn-Smith, I.J., Arnolda, L., Minson, J. and Chalmers, J.
Intracellular recording from sympathetic preganglionic neurons in cat lumbar spinal cord (656) 319
Pongs, O., see Madeja, M. (656) 287
Praprotnik, D., see DeWitt, D.A. (656) 205
Privette, T.H., Wang, J.Q., Ingenito, A.J. and Terrian, D.M.
Dentate granule cells as a central cardioregulatory site in the rat (656) 295
Puma, C., see Monmaur, P. (656) 199

Rea, M.A., see Srkalovic, G. (656) 302
Relton, J.K., see Strijbos, P.J.L.M. (656) 405
Renau-Piqueras, J., see Vallés, S. (656) 281
Richey, P.L., see DeWitt, D.A. (656) 205
Rivet, J.-M., see Lejeune, F. (656) 427
Rivier, C., see Torres, G. (656) 33
Rodnight, R., see Pereira, M.E. (656) 417
Rodriguez, W.A., see Hernandez, R.V. (656) 215
Rosner, M.R., see Eves, E.M. (656) 396
Rothwell, N.J., see Strijbos, P.J.L.M. (656) 405

Saito, H., see Ikegaya, Y. (656) 157
Saito, N., Tsujino, T., Fukuda, K. and Tanaka, C.
α-, βII- and γ-subspecies of protein kinase C localized in the monkey hippocampus: pre- and post-synaptic localization of γ-subspecies (656) 245
Salimi, I., Webster, H.H. and Dykes, R.W.
Neuronal activity in normal and deafferented forelimb somatosensory cortex of the awake cat (656) 263
Sano, M. and Iwanaga, M.
Local sprouting of neurites from cultured PC12D cells in response to a concentration gradient of nerve growth factor (656) 210
Sawada, M., see Mizuno, T. (656) 141

Schmitt, H. and Meves, H.
Bovine serum albumin selectively increases the low-voltage-activated calcium current of NG108-15 neuroblastoma × glioma cells (656) 375
Scholfield, C.N., see Donaghy, K.M. (656) 174
Scott, J.R., see Jeffrey, M. (656) 329
Seiger, Å., see Zhang, A.-L. (656) 187
Selim, M., see Srkalovic, G. (656) 302
Seller, H., see Zanzinger, J. (656) 353
Sharif, A., see Monmaur, P. (656) 199
Shiga, Y., see Matsuo, Y. (656) 344
Shindou, T., Watanabe, S., Kamata, O., Yamamoto, K. and Nakanishi, H.
Calcium-dependent hyperexcitability of hippocampal CA1 pyramidal cells in an in vitro slice after ethanol withdrawal of the rat (656) 432
Shozuhara, H., see Matsuo, Y. (656) 344
Sihag, R.K., Wang, L.-W., Cataldo, A.M., Hamlin, M., Cohen, C.M. and Nixon, R.A.
Evidence for the association of protein 4.1 immunoreactive forms with neurofibrillary tangles in Alzheimer's disease brains (656) 14
Silver, J., see DeWitt, D.A. (656) 205
Simon, E.J., see Wolinsky, T.D. (656) 274
Sinden, J.D., see Kleschevnikov, A.M. (656) 221
Spagna, C., see Bertoni-Freddari, C. (656) 359
Speckmann, E.-J., see Madeja, M. (656) 287
Srkalovic, G., Selim, M., Rea, M.A. and Glass, J.D.
Serotonergic inhibition of extracellular glutamate in the suprachiasmatic nuclear region assessed using in vivo brain microdialysis (656) 302
Stein, E.A., see Zhang, H. (656) 59
Stelz, T., see Jones, N. (656) 257
Stern, G.M., see Zhou, J. (656) 147
Stocker, M., see Madeja, M. (656) 287
Strijbos, P.J.L.M., Relton, J.K. and Rothwell, N.J.
Corticotrophin-releasing factor antagonist inhibits neuronal damage induced by focal cerebral ischaemia or activation of NMDA receptors in the rat brain (656) 405
Suzumura, A., see Mizuno, T. (656) 141

Takahashi, L.K., see Kalin, N.H. (656) 182
Takao, T., Dieterich, K.D., Tracey, D.E. and De Souza, E.B.
Cyclic AMP-dependent modulation of interleukin-1 receptors in the mouse AtT-20 pituitary tumor cell line (656) 177
Tamatani, T., see Matsuo, Y. (656) 344
Tanaka, C., see Saito, N. (656) 245
Terrian, D.M., see Privette, T.H. (656) 295
Thornhill, J. and Halvorson, I.
Activation of shivering and non-shivering thermogenesis by electrical stimulation of the lateral and medial preoptic areas (656) 367
Thunhorst, R.L., see Kirby, R.F. (656) 79
Tomiyama, M., see Kannari, K. (656) 413
Tooyama, I., McGeer, E.G., Kawamata, T., Kimura, H. and McGeer, P.L.
Retention of basic fibroblast growth factor immunoreactivity in dopaminergic neurons of the substantia nigra during normal aging in humans contrasts with loss in Parkinson's disease (656) 165
Torres, G., Rivier, C. and Weiss, F.
A ketamine mixture anesthetic inhibits neuroendocrine and behavioral consequences of cocaine administration (656) 33
Totterdell, S., see Hussain, Z. (656) 191
Tracey, D.E., see Takao, T. (656) 177
Tsujino, T., see Saito, N. (656) 245
Tsumori, T., see Yasui, Y. (656) 420
Tucker, M.S., see Eves, E.M. (656) 396
Turton, M.D., see Lambert, P.D. (656) 135

Vaher, P.R., Luine, V.N., Gould, E. and McEwen, B.S.
Effects of adrenalectomy on spatial memory performance and dentate gyrus morphology (656) 71
Vallés, S., Lindo, L., Montoliu, C., Renau-Piqueras, J. and Guerri, C.
Prenatal exposure to ethanol induces changes in the nerve growth factor and its receptor in proliferating astrocytes in primary culture (656) 281

Wainer, B.H., see Eves, E.M. (656) 396
Wang, J.Q., see Privette, T.H. (656) 295
Wang, L.-W., see Sihag, R.K. (656) 14
Watanabe, S., see Shindou, T. (656) 432
Webster, H.H., see Salimi, I. (656) 263
Weiss, F., see Torres, G. (656) 33
Weller, G.-M.Y.B.N.M., Wood, K.A. and Paul, S.M.
Depolarization or glutamate receptor activation blocks apoptotic cell death of cultured cerebellar granule neurons (656) 43
Wenzel, J., Otani, S., Desmond, N.L. and Levy, W.B.
Rapid development of somatic spines in stratum granulosum of the adult hippocampus in vitro (656) 127
Wiesenfeld-Hallin, Z., see Zhang, A.-L. (656) 187
Wilding, J.P.H., see Lambert, P.D. (656) 135
Wolinsky, T.D., Carr, K.D., Hiller, J.M. and Simon, E.J.
Effects of chronic food restriction on mu and kappa opioid binding in rat forebrain: a quantitative autoradiographic study (656) 274
Womble, M.D., see Ackerman, J.M. (656) 309
Wood, K.A., see Weller, G.-M.Y.B.N.M. (656) 43

Xu, X.-J., see Zhang, A.-L. (656) 187

Yamamoto, K., see Shindou, T. (656) 432
Yasui, Y., Tsumori, T., Ando, A., Domoto, T., Kayahara, T. and Nakano, K.
Descending projections from the superior colliculus to the reticular formation around the motor trigeminal nucleus and the parvicellular reticular formation of the medulla oblongata in the rat (656) 420

Zanzinger, J., Czachurski, J., Offner, B. and Seller, H.
Somato-sympathetic reflex transmission in the ventrolateral medulla oblongata: spatial organization and receptor types (656) 353
Zhang, A.-L., Hao, J.-X., Seiger, Å., Xu, X.-J., Wiesenfeld-Hallin, Z., Grant, G. and Aldskogius, H.
Decreased GABA immunoreactivity in spinal cord dorsal horn neurons after transient spinal cord ischemia in the rat (656) 187
Zhang, H., Kiyatkin, E.A. and Stein, E.A.
Behavioral and pharmacological modulation of ventral tegmental dendritic dopamine release (656) 59
Zhang, X., see Ceccatelli, S. (656) 381
Zhou, J., Bradford, H.F. and Stern, G.M.
The response of human and rat fetal ventral mesencephalon in culture to the brain-derived neurotrophic factor treatment (656) 147
Zieglgänsberger, W., see Kasparov, S. (656) 229